



"Totally jobsite"
«Totalement chantier»

Gestion Premier Inc.
2205-2818 Boul. Laurier
Quebec, QC, Canada, G1V 0E2
Telephone: 877-441-5268

PROMARK

SDS Preparation Date (mm/dd/yyyy): 07/19/2024

Page 1 of 13

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: **PROMARK**

Other means of identification : PRIME #93123, #93125, #93126 #93127, #93128 and #93129

Recommended use of the chemical and restrictions on use

: Lubricant
Restriction on use: None known

Chemical family

: Mixture.

Name, address, and telephone number
of the supplier:

Gestion Premier Inc.

2205-2818 Boul. Laurier
Quebec, QC, Canada
G1V 0E2

Supplier's Telephone # : 877-441-5268

24 Hr. Emergency Tel # : INFOTRAC: (800) 535-5053 (US and Canada); + 001 (352) 323-3500 (International)

Name, address, and telephone number of
the manufacturer:

Refer to supplier

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Aerosol spray. Various colours.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification

Flammable Aerosol - Category 1

Specific target organ toxicity, single exposure - Category 3 (narcotic effects)

Label elements

Hazard pictogram(s)



Signal Word

DANGER!

Hazard statement(s)

Extremely flammable aerosol
Pressurized container: may burst if heated.
May cause drowsiness or dizziness.



"Totally jobsite"
«Totalement chantier»

Gestion Premier Inc.
2205-2818 Boul. Laurier
Quebec, QC, Canada, G1V 0E2
Telephone: 877-441-5268

PROMARK

SDS Preparation Date (mm/dd/yyyy): 07/19/2024

Page 2 of 13

SAFETY DATA SHEET

Precautionary statement(s)

Do not spray on an open flame or other ignition source.
Do not pierce or burn, even after use.
Avoid breathing mist, vapors or spray.
Use only outdoors or in a well-ventilated area.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER or doctor/physician if you feel unwell.

Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards

Other hazards which do not result in classification:
May displace oxygen and cause rapid suffocation
Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
May cause mild skin and eye irritation.
May cause mild respiratory irritation.
Repeated exposure may cause skin dryness or cracking.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
n-Butane	Butyl hydride Methylethylethane	106-97-8	10.0 - 30.0
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	EC 927-241-2	N/Av	10.0 - 30.0
Propane	Dimethylmethane Propyl hydride	74-98-6	10.0 - 30.0
Isobutane	2-Methylpropane Trimethylmethane	75-28-5	10.0 - 30.0
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	EC 919-857-5	N/Av	10.0 - 30.0
2-Propanol, 1-methoxy-, acetate	2-Methoxy-1-methylethyl acetate PGMEA	108-65-6	5.0 - 10.0
Ethyl acetate	Ethyl ethanoate Acetoxyethane	141-78-6	1.0 - 5.0

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

- Ingestion* : IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do not induce vomiting. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.
- Inhalation* : IF INHALED: Remove person to fresh air and keep comfortable for breathing. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing has stopped, give artificial respiration. Call a Poison Control Center or doctor if you feel unwell.



"Totally jobsite"
«Totalement chantier»

Gestion Premier Inc.
2205-2818 Boul. Laurier
Quebec, QC, Canada, G1V 0E2
Telephone: 877-441-5268

PROMARK

SDS Preparation Date (mm/dd/yyyy): 07/19/2024

Page 3 of 13

SAFETY DATA SHEET

- Skin contact* : IF ON SKIN: Wash off with soap and plenty of water. If skin irritation occurs: get medical advice/attention. Take off contaminated clothing and wash before re-use.
- Eye contact* : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Flush eyes with water for at least 15 minutes. If eye irritation persists: get medical advice/attention.

Most important symptoms and effects, both acute and delayed

- : May cause central nervous system effects. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Direct eye contact may cause temporary redness. May cause mild skin irritation. Symptoms may include redness, itching and swelling.

Indication of any immediate medical attention and special treatment needed

- : Immediate medical attention is required.
This product is a CNS depressant.
Provide general supportive measures and treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

- : Carbon dioxide (CO₂) ;Dry chemical ;Alcohol resistant foam ;Water fog

Unsuitable extinguishing media

- : Do not use a solid water stream as it may scatter and spread the fire.

Special hazards arising from the substance or mixture / Conditions of flammability

- : Extremely flammable aerosol May be ignited by open flames and sparks. Contains gas under pressure; may explode if heated. Vapours may be heavier than air and may collect in confined and low-lying areas. Material will float on water and can be re-ignited at the water's surface. This product is contained under pressure, and could explode when exposed to heat and flame.

Flammability classification (OSHA 29 CFR 1910.106)

- : Flammable aerosol -Category 1

Hazardous combustion products

- : Hydrocarbon fumes and smoke .Incomplete combustion will generate highly poisonous carbon monoxide and perhaps other toxic vapours.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Special fire-fighting procedures

- : Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- : Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. Individuals involved in the cleanup must wear appropriate personal protective equipment. For personal protection see section 8.

Environmental precautions : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. For large spills, dike the area to prevent spreading.

Methods and material for containment and cleaning up



"Totally jobsite"
«Totalement chantier»

Gestion Premier Inc.
2205-2818 Boul. Laurier
Quebec, QC, Canada, G1V 0E2
Telephone: 877-441-5268

PROMARK

SDS Preparation Date (mm/dd/yyyy): 07/19/2024

Page 4 of 13

SAFETY DATA SHEET

- : Ventilate area of release. Stop spill or leak at source if safely possible. Dike for water control. Use only non-sparking tools and equipment in the clean-up process. Contain and absorb spilled liquid with inert, non-combustible absorbent material (e.g. sand, vermiculite), then place material into open, unsealed containers. For waste disposal, see Section 13 of the SDS.

Special spill response procedures

- : In Canada: Contact appropriate local and provincial environmental authorities for assistance and/or reporting requirements.
US CERCLA Reportable quantity (RQ): See section 15.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

- : Use only in well-ventilated areas. Wear suitable protective equipment during handling. Do not ingest or swallow. Avoid breathing vapors or mists. Avoid contact with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Avoid contact with incompatible materials. Always replace cap after use. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Follow labeled warnings even after container is emptied.

- Conditions for safe storage** : Store in a cool, dry, well-ventilated area. Store locked up. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area. Have appropriate fire extinguishers and spill clean-up equipment in or near storage area. Protect from sunlight and do not expose to temperatures exceeding 50 °C/122 °F. Keep away from incompatibles.

- Incompatible materials** : Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
	<u>Exposure Limits:</u>			
n-Butane	1000 ppm (Butane, all isomers)	N/Av	800 ppm (final rule limit)	N/Av
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	N/Av	N/Av	N/Av	N/Av
Propane	N/Av	N/Av	1000 ppm (1800 mg/m ³)	N/Av
Isobutane	1000 ppm (as 'Butane, all isomers')	N/Av	N/Av	N/Av
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	N/Av	N/Av	N/Av	N/Av
2-Propanol, 1-methoxy-, acetate	50 ppm (AIHA WEEL)	N/Av	N/Av	N/Av
Ethyl acetate	400 ppm	N/Av	400 ppm (1400 mg/m ³)	N/Av

Exposure controls



"Totally jobsite"
«Totalement chantier»

Gestion Premier Inc.
2205-2818 Boul. Laurier
Quebec, QC, Canada, G1V 0E2
Telephone: 877-441-5268

PROMARK

SDS Preparation Date (mm/dd/yyyy): 07/19/2024

Page 5 of 13

SAFETY DATA SHEET

Ventilation and engineering measures

: Ensure adequate ventilation, especially in confined areas. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits. Use explosion-proof electrical and ventilating equipment.

Respiratory protection

: Respiratory protection is required if the concentrations exceed the TLV. NIOSH-approved respirators are recommended. Advice should be sought from respiratory protection specialists. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.

Skin protection

: Wear protective gloves. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Wear sufficient clothing to prevent skin contact.

Eye / face protection

: Wear eye/face protection. Wear as appropriate: Safety glasses with side-shields or chemical splash goggles. A full face shield may also be necessary.

Other protective equipment

: Ensure that eyewash stations and safety showers are close to the workstation location. Other equipment may be required depending on workplace standards.

General hygiene considerations

: Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State : Liquid aerosol.

Colour : Various colors

Odour : Characteristic odour.

Odour threshold : Not available.

pH : Not available.

Melting Point/Freezing point : Not available.

Initial boiling point and boiling range

: Not available.

Flash point : Not available.

Flashpoint (Method) : Not available.

Evaporation rate (BuAe = 1) : Not available.

Flammability : Extremely flammable aerosol

Lower explosion or flammability limit (% by vol.)

: Not available.

Upper explosion or flammability limit (% by vol.)

: Not available.

Oxidizing properties : None.

Explosive properties : Not available.

Vapour pressure : Not available.

Relative vapour density : > 1

Relative density / Specific gravity

: < 1

Solubility in water : insoluble

Other solubility(ies) : Not available.

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: Not available.

Auto-ignition temperature : Not available.

Decomposition temperature : Not available.

Viscosity : Not applicable.



"Totally jobsite"
«Totalement chantier»

Gestion Premier Inc.
2205-2818 Boul. Laurier
Quebec, QC, Canada, G1V 0E2
Telephone: 877-441-5268

PROMARK

SDS Preparation Date (mm/dd/yyyy): 07/19/2024

Page 6 of 13

SAFETY DATA SHEET

Particle characteristics : Not available
Volatiles (% by weight) : Not available.
Volatile organic Compounds (VOC's)
: N/Ap
Absolute pressure of container
: N/Ap
Flame projection length : N/Av
Other physical/chemical comments
: Not available.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive.
Chemical stability : Stable under the recommended storage and handling conditions prescribed.
Possibility of hazardous reactions
: Under normal conditions of handling and storage, hazardous reactions will not occur.
Conditions to avoid : Keep away from excessive heat, open flames, sparks and other possible sources of ignition. Do not use in areas without adequate ventilation.
Incompatible materials : Incompatible materials (see Section 7).
Hazardous decomposition products
: None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES
Routes of exposure skin absorption
: NO

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

: CNS depression may result from exposure. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. In extremely high concentrations, product may act as an asphyxiant and cause increased breathing and pulse rates, fatigue and unconsciousness.

Sign and symptoms ingestion

: Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache).

Sign and symptoms skin

: May cause skin irritation. Symptoms may include redness, itching and swelling.

Sign and symptoms eyes

: Direct eye contact may cause slight redness.

Potential Chronic Health Effects

: Repeated exposure may cause skin dryness or cracking.

Mutagenicity

: Not expected to be mutagenic in humans.

Carcinogenicity

: No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

: Not expected to have other reproductive effects.



"Totally jobsite"
«Totalement chantier»

Gestion Premier Inc.
2205-2818 Boul. Laurier
Quebec, QC, Canada, G1V 0E2
Telephone: 877-441-5268

PROMARK

SDS Preparation Date (mm/dd/yyyy): 07/19/2024

Page 7 of 13

SAFETY DATA SHEET

- Sensitization to material** : Not expected to be a skin or respiratory sensitizer.
Specific target organ effects : Specific target organ toxicity, single exposure - Category 3 (narcotic effects)
 May cause drowsiness or dizziness.

Not classified as specific target organ toxicity-repeated exposure.

Medical conditions aggravated by overexposure

- : Pre-existing skin, eye and respiratory disorders. Components of the product may affect the nervous system.

Synergistic materials

- : None known or reported by the manufacturer.

Toxicological data

- : There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

<u>Chemical name</u>	<u>LC₅₀(4hr)</u> <u>inh, rat</u>	<u>LD₅₀</u>	
		<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
n-Butane	276 000 ppm	N/Ap (gas)	N/Ap (gas)
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics			
Propane	N/Av	N/Ap (gas)	N/Ap (gas)
Isobutane	368 000 ppm (mouse)	N/Ap (gas)	N/Ap (gas)
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics			
2-Propanol, 1-methoxy-, acetate	> 5320 ppm (28.7 mg/L) (vapour)	8532 mg/kg	> 19 200 mg/kg
Ethyl acetate	8000 - 16 000 ppm (28.8 - 57.7 mg/L) (vapour)	10 200 mg/kg	> 18 000 mg/kg

Other important toxicological hazards

- : None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

- : The ecological characteristics of this product have not been fully investigated. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

See the following tables for individual ingredient ecotoxicity data.



"Totally jobsite"
«Totalement chantier»

Gestion Premier Inc.
2205-2818 Boul. Laurier
Quebec, QC, Canada, G1V 0E2
Telephone: 877-441-5268

PROMARK

SDS Preparation Date (mm/dd/yyyy): 07/19/2024

Page 8 of 13

SAFETY DATA SHEET

Ecotoxicity data:

<u>Ingredients</u>	CAS #	Toxicity to Fish		
		LC50 / 96h	NOEC / 21 day	M Factor
n-Butane	106-97-8	N/Ap	N/Ap	N/Ap
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	N/Av	N/Av	N/Av	N/Av
Propane	74-98-6	N/Ap	N/Ap	N/Ap
Isobutane	75-28-5	N/Ap	N/Ap	N/Ap
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	N/Av	N/Av	N/Av	N/Av
2-Propanol, 1-methoxy-, acetate	108-65-6	161 mg/L (Fathead minnow)	N/Av	None.
Ethyl acetate	141-78-6	> 100 mg/L	N/Av	None.

<u>Ingredients</u>	CAS #	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
n-Butane	106-97-8	N/Ap	N/Ap	N/Ap
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	N/Av	N/Av	N/Av	N/Av
Propane	74-98-6	N/Ap	N/Ap	N/Ap
Isobutane	75-28-5	N/Ap	N/Ap	N/Ap
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	N/Av	N/Av	N/Av	N/Av
2-Propanol, 1-methoxy-, acetate	108-65-6	408 mg/L (Daphnia magna)	≥ 100 mg/L	None.
Ethyl acetate	141-78-6	> 100 mg/L	2.4 mg/L	None.



"Totally jobsite"
«Totalement chantier»

Gestion Premier Inc.
2205-2818 Boul. Laurier
Quebec, QC, Canada, G1V 0E2
Telephone: 877-441-5268

PROMARK

SDS Preparation Date (mm/dd/yyyy): 07/19/2024

Page 9 of 13

SAFETY DATA SHEET

Ingredients	CAS #	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
n-Butane	106-97-8	N/Ap	N/Ap	N/Ap
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	N/Av	N/Av	N/Av	N/Av
Propane	74-98-6	N/Ap	N/Ap	N/Ap
Isobutane	75-28-5	N/Ap	N/Ap	N/Ap
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	N/Av	N/Av	N/Av	N/Av
2-Propanol, 1-methoxy-, acetate	108-65-6	> 1000 mg/L/72hr (Green algae)	≥ 1000 mg/L/72hr	None.
Ethyl acetate	141-78-6	> 100 mg/L/72hr	N/Av	None.

Persistence and degradability

: The product itself has not been tested.

Bioaccumulation potential

: None known or reported by the manufacturer.

Components	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
Isobutane (CAS 75-28-5)	2.76 (calculated)	27 (estimated)
n-Butane (CAS 106-97-8)	2.89 (estimated)	33 (estimated)
2-Propanol, 1-methoxy-, acetate (CAS 108-65-6)	0.36	N/Av
Ethyl acetate (CAS 141-78-6)	0.73	30 (Fish)
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics (CAS N/Av)	N/Av	N/Av
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics (CAS N/Av)	N/Av	N/Av

Mobility in soil : No data is available on the product itself.

Other Adverse Environmental effects

: No data is available on the product itself.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8. This material and its container must be disposed of in a safe way. Empty containers retain residue and can be dangerous. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Methods of Disposal

: Dispose in accordance with all applicable federal, state, provincial and local regulations.

RCRA

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method.



"Totally jobsite"
«Totalement chantier»

Gestion Premier Inc.
2205-2818 Boul. Laurier
Quebec, QC, Canada, G1V 0E2
Telephone: 877-441-5268





PROMARK

SDS Preparation Date (mm/dd/yyyy): 07/19/2024

Page 10 of 13

SAFETY DATA SHEET

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	UN1950	AEROSOLS, flammable	2.1	none	
TDG Additional information	May be shipped as LIMITED QUANTITY when transported in containers no larger than 1.0 Litre, in packages not exceeding 30 kg gross mass.				
49CFR/DOT	UN1950	AEROSOLS, flammable	2.1	none	
49CFR/DOT Additional information	May be shipped as LIMITED QUANTITY when transported in containers no larger than 1.0 Litre, in packages not exceeding 30 kg gross mass.				
ICAO/IATA	UN1950	Aerosols, flammable	2.1	none	
ICAO/IATA Additional information	Refer to ICAO/IATA Packing Instruction				
IMDG	UN1950	AEROSOLS	2.1	none	
IMDG Additional information	Consult the IMDG regulations for exceptions.				

Special precautions for user : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking. Appropriate advice on safety must accompany the package.

Environmental hazards : This substance does not meet the criteria for an environmentally hazardous substance according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:



"Totally jobsite"
«Totalement chantier»

Gestion Premier Inc.
2205-2818 Boul. Laurier
Quebec, QC, Canada, G1V 0E2
Telephone: 877-441-5268

PROMARK

SDS Preparation Date (mm/dd/yyyy): 07/19/2024

Page 11 of 13

SAFETY DATA SHEET

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de Minimis Concentration
n-Butane	106-97-8	Yes	None.	None.	No	No
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	N/Av	No			No	No
Propane	74-98-6	Yes	None.	None.	No	No
Isobutane	75-28-5	Yes	None.	None.	No	No
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	N/Av	No			No	No
2-Propanol, 1-methoxy-, acetate	108-65-6	Yes	None.	None.	No	No
Ethyl acetate	141-78-6	Yes	5000 lb/ 2270 kg	None.	No	No

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Physical hazards (Extremely flammable aerosol)Health hazards (Specific target organ toxicity, single exposure).Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
n-Butane	106-97-8	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	N/Av	No		No	No	No	No	No	No
Propane	74-98-6	No	N/Ap	No	Yes	Yes	Yes	Yes	Yes
Isobutane	75-28-5	No	N/Ap	No	Yes	No	Yes	Yes	No
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	N/Av	No		No	No	No	No	No	No
2-Propanol, 1-methoxy-, acetate	108-65-6	No	N/Ap	No	No	No	No	No	No
Ethyl acetate	141-78-6	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes

Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

WHMIS Classification: See Section 2.



"Totally jobsite"
«Totalement chantier»

Gestion Premier Inc.
2205-2818 Boul. Laurier
Quebec, QC, Canada, G1V 0E2
Telephone: 877-441-5268

PROMARK

SDS Preparation Date (mm/dd/yyyy): 07/19/2024

Page 12 of 13

SAFETY DATA SHEET

International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	<u>CAS #</u>	<u>European EINECs</u>	<u>Australia AICS</u>	<u>Philippines PICCS</u>	<u>Japan ENCS</u>	<u>Korea KECI/KECL</u>	<u>China IECSC</u>	<u>NewZealand IOC</u>
n-Butane	106-97-8	203-448-7	Present	Present	(2)-4	KE-03751	Present	HSR000989
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	N/Av							
Propane	74-98-6	200-827-9	Present	Present	(2)-3	KE-29258	Present	HSR001010
Isobutane	75-28-5	200-857-2	Present	Present	(2)-4	KE-24865	Present	HSR001003
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	N/Av							
2-Propanol, 1-methoxy-, acetate	108-65-6	203-603-9	Present	Present	(2)-3144	KE-23315	Present	HSR001219
Ethyl acetate	141-78-6	205-500-4	Present	Present	(2)-726	KE-00047	Present	HSR001041

SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists
 CAS: Chemical Abstract Services
 CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
 CFR: Code of Federal Regulations
 CNS: Central Nervous System
 CSA: Canadian Standards Association
 DOT: Department of Transportation
 EPA: Environmental Protection Agency
 HMIS: Hazardous Materials Identification System
 HSDB: Hazardous Substances Data Bank
 IARC: International Agency for Research on Cancer
 Inh: Inhalation
 IUCLID: International Uniform Chemical Information Database
 LC: Lethal Concentration
 LD: Lethal Dose
 N/Ap: Not Applicable
 N/Av: Not Available
 NFPA: National Fire Protection Association
 NIOSH: National Institute of Occupational Safety and Health
 NTP: National Toxicology Program
 OSHA: Occupational Safety and Health Administration
 PEL: Permissible exposure limit
 RCRA: Resource Conservation and Recovery Act
 RTECS: Registry of Toxic Effects of Chemical Substances
 SARA: Superfund Amendments and Reauthorization Act
 STEL: Short Term Exposure Limit
 TDG: Canadian Transportation of Dangerous Goods Act & Regulations
 TLV: Threshold Limit Values
 TWA: Time Weighted Average
 WHMIS: Workplace Hazardous Materials Identification System



"Totally jobsite"
«Totalement chantier»

Gestion Premier Inc.
2205-2818 Boul. Laurier
Quebec, QC, Canada, G1V 0E2
Telephone: 877-441-5268

PROMARK

SDS Preparation Date (mm/dd/yyyy): 07/19/2024

Page 13 of 13

SAFETY DATA SHEET

- References** :
1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices
 2. ECHA - European Chemical Agency
 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases
 4. Safety Data Sheets from manufacturer.
 5. US EPA Title III List of Lists
 6. California Proposition 65 List
 7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal

Preparation Date (mm/dd/yyyy)
: 07/19/2024

Other special considerations for handling
: Provide adequate information, instruction and training for operators.

<p>Prepared for: Gestion Premier Inc. 2205-2818 Boul. Laurier Quebec, QC G1V 0E2 877-441-5268 info@premieroutilspro.com</p>	 <p>"Totally jobsite" «Totalement chantier»</p>
<p>Prepared by: ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.); (888) 977-4834 (Canada) http://www.thecompliancecenter.com</p>	

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc using information provided by / obtained from Gestion Premier Inc. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Gestion Premier Inc. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc and Gestion Premier Inc.

END OF DOCUMENT